
## **Residential Energy Storage System** (High Voltage & Stackable) SOL-30-10HT










Integrated with inverter to avoid the compatibility





Support 3 Phase Output

## [4] Battery Module

- 5.12 kWh per Module
- Modular and Stack Installation Design to simplify the maintenance
- · Main board self-adjustable to voltage



## Flexible, Efficient, Simple



Plug Connection

•	
<u> </u>	
1	

Extend Anytime Easily Adapts to New Requirements



High Power Power for Every Application

Technical Parameters	Technical Parameters		
Inverter	SOL10KH-T		
Maximum Photovoltaic Input Power	15KW		
Rated Photovoltaic DC Input Voltage	620V		
MPPT Operating Voltage Range	200-950V		
MPPT Quantity	2		
Maximum Photovoltaic Input Current	15A/15A		
Rated Output Power to Gird	10KW		
Rated Voltage	3L/N/PE; 220/380V;230/400V;240/415V		
Frequency of Grid	50/60Hz		
Maximum Output Current to Grid	16.5A		
Battery Voltage Range	135-750V		
Max. Battery Charge/Discharge Current	25A/25A		
Rated Output Power to Load	10KW		
Rated Output Voltage to Load	3L/N/PE;220/380V;230/400V;240/415V		
Maximum Output Current to Load	16.5A		
Battery Parameters			
Usable Energy (kWh)	30.72		
Number of Modules	6		
Cell Type	LFP(LiFePO4)		
Nominal Voltage (V)	307.2		
Operating Voltage Range (V)	268.8~350.4		
Nominal Dis- / Charge Current (A)	50		
Operating Temperature Range ( $^{\circ}$ C)	Charge:0~50 ℃; Discharge: -10~50 ℃		
Communication	CAN/RS485		
Weight (kg)	350±1		
Dimensions (W x H x D mm)	680*1540*425mm		
Ingress Protection Rating	IP55		
Round-Trip Efficiency	≥95%		
Applications	on/off-grid energy storage/off-grid power backup		